


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (Original) A compound of Formula I:



(I)

or a pharmaceutically acceptable salt or prodrug thereof,
wherein:

W is a member selected from the group consisting of

$\text{R}^1\text{-X-(C=O)-NH-CHR}^2\text{-}$,
 $\text{R}^4\text{-Y-(C=O)-NH-CHR}^3\text{-}$,
 $\text{R}^6\text{-(C=O)-NH-CHR}^5\text{-}$,
 $\text{R}^7\text{-NH-(C=O)-NH-CHR}^8\text{-}$,
 $\text{R}^{10}\text{-Z-(C=O)-NH-CHR}^9\text{-}$, and
 $\text{R}^{11}\text{-(C=O)-NH-CHR}^{12}\text{-}$;

R^1 is a member selected from the group consisting of phenyl substituted with 0-2 R^{1a} ,
pyridyl substituted with 0-2 R^{1a} , and pyridinium N-oxide substituted with 0-2 R^{1a} ;
each R^{1a} is independently a member selected from the group consisting of Cl, F, OCF_3 ,
 OCH_3 , CH_3 and CF_3 ;

X is a member selected from the group consisting of furanylene substituted with 0-1 R^x ,
thienylene substituted with 0-1 R^x , pyrazolyene substituted with 0-1 R^x ,
thiazolyene substituted with 0-1 R^x , and oxazolyene substituted with 0-1 R^x ;

R^x is a member selected from the group consisting of F, Cl, CH_3 and CF_3 ;

R^2 is a member selected from the group consisting of phenyl substituted with 0-2 R^{2a} ,
and $(\text{CH}_2)_n\text{R}^{2b}$;

each R^{2a} is independently a member selected from the group consisting of Cl, F, OCF_3 ,
 OCH_3 , CH_3 and CF_3 ;

R^{2b} is independently a member selected from the group consisting of phenyl substituted
with 0-2 R^{2a} ; cyclopentyl, cyclohexyl and tetrahydropyranyl;

n is the integer 1 or 2;

R^3 is $(CH_2)_m R^{3b}$;

R^{3b} is selected from the group consisting of phenyl substituted with 0-2 R^{2a} , cyclopentyl and cyclohexyl;

m is the integer 1 or 2;

R^4 is a member selected from the group consisting of phenyl substituted with 0-3 R^{4a} , thienyl, tetrazolyl, cyclopentenyl and indolyl;

each R^{4a} is a member selected from the group consisting of phenyl, OH, C₁-C₄ alkyl, C₁-C₄ alkoxy, CF₃, OCF₃, F, Cl, CH₃S(=O)₂-, morpholinyl, pyrrolidinyl, piperidinyl and 4-acetylpiperazinyl;

Y is a member selected from the group consisting of $-CR^{17}R^{18}$, $-NH-CH_2-$ and $-O-CH_2-$;

R^5 is a member selected from the group consisting of phenyl substituted with 0-2 R^{5a} , thienyl, naphthyl, and CH_2R^{5b} , CH_2CH_2 (cyclohexyl), $CH_2CH_2CH_2$ (cyclohexyl), CH_2CH_2Ph , $CH(CH_3)R^{5c}$, $CH_2CH=CHPh$, $-CH_2OCH_2Ph$, $-CH(CH_3)OCH_2Ph$;

each R^{5a} is independently a member selected from the group consisting of F, Cl, NO₂, OCH₃, OCH₂Ph, OPh, CH₃, OCF₃ and CF₃;

R^{5b} is independently a member selected from the group consisting of phenyl substituted with 0-2 R^{5c} , cyclopentyl, cyclohexyl, naphthyl, indolyl and pyridyl;

R^{5c} is independently a member selected from the group consisting of OH, Cl, F, Br, I, CN, NO₂, CH₃, OCH₃, ^tBu, O-^tBu, $-NHC(=O)CH_3$, CF₃, OCF₃; phenyl substituted with 0-2 R^{5d} ; phenoxy substituted with 0-2 R^{5d} ; benzyloxy substituted with 0-2 R^{5d} ; pyridyl substituted with 0-2 R^{5d} ; pyrimidinyl substituted with 0-2 R^{5d} ; thienyl substituted with 0-2 R^{5d} ;

R^{5d} is independently a member selected from the group consisting of CH₃, Cl, F, OCH₃, CF₃, OCF₃, N(CH₃)₂, acetyl, OH, CH₂OH, NH₂, CN and NO₂;

R^{5e} is phenyl substituted with 0-2 R^{5a} ;

R^6 is a member selected from the group consisting of phenyl substituted with 0-3 R^{6a} , furanyl substituted with 0-2 R^{6b} , thienyl substituted with 0-2 R^{6b} , oxazolyl

substituted with 0-2 R^{6b} , thiazolyl substituted with 0-2 R^{6b} , pyridyl, pyridazinyl and cyclopropyl;

each R^{6a} is independently a member selected from the group consisting of Cl, F, Br, OCF_3 , CF_3 , C_1 - C_4 alkyl, C_1 - C_4 alkoxy, $-S(=O)_2CH_3$, CN, $-N(CH_3)_2$, OCF_2H , $-CH_2$ -benzimidazole, $-NH-S(=O)_2CH_3$, $-NR^{13}R^{14}$, OR^{14} , CH_2 -morpholine, CH_2NH_2 , OCH_2Ph , and OPh ;

alternatively, two R^{6a} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

each R^{6b} is independently a member selected from the group consisting of NH_2 , F, Cl, Br, $-S(=O)_2R^{15}$, CH_3 , and CF_3 ;

R^7 is a member selected from the group consisting of $(CH_2)_p R^{7a}$, and naphthyl substituted with 0-2 R^{7b} ;

p is the integer 0, 1, or 2;

R^{7a} is phenyl substituted with 0-2 R^{7b} ;

R^{7b} is a member selected from the group consisting of F, Cl, CF_3 , C_1 - C_4 alkyl, C_1 - C_4 alkoxy, OCF_3 , phenoxy and acetyl;

alternatively, two R^{7b} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

R^8 is $-CH_2-R^{3b}$;

R^9 is $(CH_2)_q R^{9a}$;

R^{9a} is a member selected from the group consisting of cyclopentyl, phenyl and cyclohexyl;

q is the integer 1 or 2;

R^{10} is a member selected from the group consisting of phenyl substituted with 0-2 R^{10a} , 5 membered heteroaryl containing 1 to 4 heteroatoms each independently a member selected from the group consisting of N, O and S, wherein said heteroaryl is substituted with 0-2 R^{10a} , 6 membered heteroaryl containing 1 to 2 N, wherein

said heteroaryl is substituted with 0-2 R^{10a} , morpholinyl substituted with 0-2 R^{10a} ,
piperazinyl substituted with 0-2 R^{10a} and piperidinyl substituted with 0-2 R^{10a} ;
each R^{10a} is independently a member selected from the group consisting of Cl, F, C_1 - C_4
alkyl, C_1 - C_4 alkoxy, OCF_3 , and CF_3 ;
alternatively, two R^{10a} substituents on adjacent atoms may be combined to form a 5 to 6
membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic
fused radical comprises 1 or 2 heteroatom(s);

Z is phenylene;

R^{11} is a member selected from the group consisting of indolyl substituted with 0-2 R^{11a} ,
benzofuranyl substituted with 0-2 R^{11a} , benzothienyl substituted with 0-2 R^{11a} ,
benzothiazolyl substituted with 0-2 R^{11a} , benzisoxazolyl substituted with 0-2 R^{11a} ,
benzoxazolyl substituted with 0-2 R^{11a} , and pyrazolo[1,5-a]pyrimidinyl
substituted with 0-2 R^{11a} , piperidinyl N-substituted with 0-1 R^{11b} , morpholinyl N-
substituted with 0-1 R^{11b} ; and 2-oxo-pyrrolidinyl with 0-1 R^{11b} ;

each R^{11a} is independently a member selected from the group consisting of Cl, F, NH_2 ,
 CH_3 , OCH_3 , $-C(=O)OCH_3$, OCF_3 , and CF_3 ;

each R^{11b} is independently a member selected from the group consisting of pyrimidinyl
substituted with 0-2 R^{11c} ; benzyl, acetyl, CH_2 -furanyl, and CH_2 -thienyl;

each R^{11c} is independently a member selected from the group consisting of Br and CH_3 ;

R^{12} is $(CH_2)_s R^{12a}$,

R^{12a} is a member selected from the group consisting of cyclopentyl and cyclohexyl;

s is the integer 1 or 2;

R^{13} is a member selected from the group consisting of H and C_1 - C_4 alkyl;

R^{14} is pyrimidinyl substituted with 0-2 R^{16} ;

R^{15} is a member selected from the group consisting of C_1 - C_4 alkyl, morpholinyl,
pyrrolidinyl and piperidinyl;

R^{16} is a member selected from the group consisting of CH_3 and OCH_3 ;


each of R^{17} and R^{18} is independently a member of H, OH, F, phenyl and C_1 - C_3 alkyl;

alternatively, R^{17} and R^{18} may be taken together to form a C_3 - C_6 cycloalkyl;

Ar is a phenyl substituted with 0-2 R^{19} ; and

each R¹⁹ is independently a member selected from the group consisting of F, Cl, COOH, C₁-C₄ alkoxy, OCHF₂ and OCF₃.

2. (Original) The compound of claim 1, wherein said compound has the formula:



Ia

wherein:

R¹ is a member selected from the group consisting of phenyl substituted with 0-2 R^{1a}, pyridyl substituted with 0-2 R^{1a}, and pyridinium N-oxide substituted with 0-2 R^{1a}; each R^{1a} is independently a member selected from the group consisting of Cl, F, OCF₃, OCH₃, CH₃ and CF₃;

X is a member selected from the group consisting of furanylene substituted with 0-1 R^x, thienylene substituted with 0-1 R^x, pyrazolylene substituted with 0-1 R^x, thiazolylene substituted with 0-1 R^x, and oxazolylene substituted with 0-1 R^x;

R^x is a member selected from the group consisting of F, Cl, CH₃ and CF₃;

R² is a member selected from the group consisting of phenyl substituted with 0-2 R^{2a}, and (CH₂)_nR^{2b};

each R^{2a} is independently a member selected from the group consisting of Cl, F, OCF₃, OCH₃, CH₃ and CF₃;


R^{2b} is independently a member selected from the group consisting of phenyl substituted with 0-2 R^{2a}, cyclopentyl, cyclohexyl and tetrahydropyranyl;

n is the integer 1 or 2;

Ar is a phenyl substituted with 0-2 R¹⁹; and

each R¹⁹ is independently a member selected from the group consisting of F, Cl, COOH, C₁-C₄ alkoxy, OCHF₂ and OCF₃.

3. (Original) The compound of claim 1, wherein said compound has the formula:




Ib

wherein:

R^4 is a member selected from the group consisting of phenyl substituted with 0-3 R^{4a} ,
thienyl, tetrazolyl, cyclopentenyl and indolyl;
each R^{4a} is a member selected from the group consisting of phenyl, OH, C_1 - C_4 alkyl, C_1 -
 C_4 alkoxy, CF_3 , OCF_3 , F, Cl, $CH_3S(=O)_2$ -, morpholinyl, pyrrolidinyl, piperidinyl
and 4-acetylpiperazinyl;
Y is a member selected from the group consisting of $-CR^{17}R^{18}$, $-NH-CH_2-$ and
 $-O-CH_2-$;
 R^3 is $(CH_2)_mR^{3b}$;
 R^{3b} is selected from the group consisting of phenyl substituted with 0-2 R^{2a} , cyclopentyl
and cyclohexyl;
each R^{2a} is independently a member selected from the group consisting of Cl, F, OCF_3 ,
 OCH_3 , CH_3 and CF_3 ;
m is the integer 1 or 2;
each of R^{17} and R^{18} is independently a member of H, OH, F, phenyl and C_1 - C_3 alkyl;
alternatively, R^{17} and R^{18} may be taken together to form a C_3 - C_6 cycloalkyl;
Ar is a phenyl substituted with 0-2 R^{19} ; and
each R^{19} is independently a member selected from the group consisting of F, Cl, COOH,
 C_1 - C_4 alkoxy, $OCHF_2$ and OCF_3 .

4. (Original) The compound of claim 1, wherein said compound has the
formula:



Ic

wherein:

R^5 is a member selected from the group consisting of phenyl substituted with 0-2 R^{5a} ,
thienyl, naphthyl, and CH_2R^{5b} , CH_2CH_2 (cyclohexyl), $CH_2CH_2CH_2$ (cyclohexyl),
 CH_2CH_2Ph , $CH(CH_3)R^{5c}$, $CH_2CH=CHPh$, $-CH_2OCH_2Ph$, and $-CH(CH_3)OCH_2Ph$;

each R^{5a} is independently a member selected from the group consisting of F, Cl, NO_2 , OCH_3 , OCH_2Ph , OPh , CH_3 , OCF_3 and CF_3 ;

R^{5b} is independently a member selected from the group consisting of phenyl substituted with 0-2 R^{5c} ; cyclopentyl, cyclohexyl, naphthyl, indolyl and pyridyl;

R^{5c} is independently a member selected from the group consisting of OH, Cl, F, Br, I, CN, NO_2 , CH_3 , OCH_3 , tBu , $O-tBu$, $-NHC(=O)CH_3$, CF_3 , OCF_3 , phenyl substituted with 0-2 R^{5d} , phenoxy substituted with 0-2 R^{5d} , benzyloxy substituted with 0-2 R^{5d} , pyridyl substituted with 0-2 R^{5d} , pyrimidinyl substituted with 0-2 R^{5d} , and thienyl substituted with 0-2 R^{5d} ;

R^{5d} is independently a member selected from the group consisting of CH_3 , Cl, F, OCH_3 , CF_3 , OCF_3 , $N(CH_3)_2$, acetyl, OH, CH_2OH , NH_2 , CN and NO_2 ;

R^{5e} is phenyl substituted with 0-2 R^{5a} ;

R^6 is a member selected from the group consisting of phenyl substituted with 0-3 R^{6a} , furanyl substituted with 0-2 R^{6b} ; thienyl substituted with 0-2 R^{6b} ; oxazolyl substituted with 0-2 R^{6b} ; thiazolyl substituted with 0-2 R^{6b} ; pyridyl, pyridazinyl and cyclopropyl;

each R^{6a} is independently a member selected from the group consisting of Cl, F, Br, OCF_3 , CF_3 , C_1 - C_4 alkyl, C_1 - C_4 alkoxy, $-S(=O)_2CH_3$, CN, $-N(CH_3)_2$, OCF_2H , $-CH_2$ -benzimidazole, $-NH-S(=O)_2CH_3$, $-NR^{13}R^{14}$, OR^{14} , CH_2 -morpholine, CH_2NH_2 , OCH_2Ph , and OPh ;

alternatively, two R^{6a} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

each R^{6b} is independently a member selected from the group consisting of NH_2 , F, Cl, Br, $-S(=O)_2R^{15}$, CH_3 , and CF_3 ;

R^{13} is a member selected from the group consisting of H and C_1 - C_4 alkyl;


R^{14} is pyrimidinyl substituted with 0-2 R^{16} ;

R^{15} is a member selected from the group consisting of C_1 - C_4 alkyl, morpholinyl, pyrrolidinyl and piperidinyl;

R^{16} is a member selected from the group consisting of CH_3 and OCH_3 ;

Ar is a phenyl substituted with 0-2 R¹⁹; and
each R¹⁹ is independently a member selected from the group consisting of F, Cl, COOH,
C₁-C₄ alkoxy, OCHF₂ and OCF₃.

5. (Original) The compound of claim 1, wherein said compound has the
formula:



Id

wherein:

R⁷ is a member selected from the group consisting of (CH₂)_p R^{7a}; and naphthyl
substituted with 0-2 R^{7b};

p is the integer 0, 1, or 2;

R^{7a} is a member selected from the group consisting of phenyl substituted with 0-2 R^{7b};

R^{7b} is a member selected from the group consisting of F, Cl, CF₃, C₁-C₄ alkyl, C₁-C₄
alkoxy, OCF₃, phenoxy and acetyl;

alternatively, two R^{7b} substituents on adjacent atoms may be combined to form a 5 to 6
membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic
fused radical has 1 or 2 oxygen atom(s);

R⁸ is -CH₂-R^{3b};


R^{3b} is selected from the group consisting of phenyl substituted with 0-2 R^{2a}, cyclopentyl
and cyclohexyl;

each R^{2a} is independently a member selected from the group consisting of Cl, F, OCF₃,
OCH₃, CH₃ and CF₃;

Ar is a phenyl substituted with 0-2 R¹⁹; and

each R¹⁹ is independently a member selected from the group consisting of F, Cl, COOH,
C₁-C₄ alkoxy, OCHF₂ and OCF₃.

6. (Original) The compound of claim 1, wherein said compound has the
formula:



1e

wherein:

R^{10} is a member selected from the group consisting of phenyl substituted with 0-2 R^{10a} , 5 membered heteroaryl containing 1 to 4 heteroatoms each independently a member selected from the group consisting of N, O and S, wherein said heteroaryl is substituted with 0-2 R^{10a} , 6 membered heteroaryl containing 1 to 2 N, wherein said heteroaryl is substituted with 0-2 R^{10a} , morpholinyl substituted with 0-2 R^{10a} , piperazinyl substituted with 0-2 R^{10a} and piperidinyl substituted with 0-2 R^{10a} ; each R^{10a} is independently a member selected from the group consisting of Cl, F, C_1 - C_4 alkyl, C_1 - C_4 alkoxy, OCF_3 , and CF_3 ;

alternatively, two R^{10a} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical comprises 1 or 2 heteroatom(s);

Z is phenylene;

R^9 is $(CH_2)_qR^{9a}$;


R^{9a} is a member selected from the group consisting of cyclopentyl, phenyl and cyclohexyl;

q is the integer 1 or 2;

Ar is a phenyl substituted with 0-2 R^{19} ; and

each R^{19} is independently a member selected from the group consisting of F, Cl, $COOH$, C_1 - C_4 alkoxy, $OCHF_2$ and OCF_3 .

7. (Original) The compound of claim 1, wherein said compound has the formula:



If

wherein:

R^{11} is a member selected from the group consisting of indolyl substituted with 0-2 R^{11a} ; benzofuranyl substituted with 0-2 R^{11a} ; benzothienyl substituted with 0-2 R^{11a} ; benzothiazolyl substituted with 0-2 R^{11a} ; benzisoxazolyl substituted with 0-2 R^{11a} ; benzoxazolyl substituted with 0-2 R^{11a} ; and pyrazolo[1,5-a]pyrimidinyl substituted with 0-2 R^{11a} ; piperidinyl N-substituted with 0-1 R^{11b} ; morpholinyl N-substituted with 0-1 R^{11b} ; and 2-oxo-pyrrolidinyl with 0-1 R^{11b} ;

each R^{11a} is independently a member selected from the group consisting of Cl, F, NH_2 , CH_3 , OCH_3 , $-C(=O)OCH_3$, OCF_3 , and CF_3 ;

each R^{11b} is independently a member selected from the group consisting of pyrimidinyl substituted with 0-2 R^{11c} ; benzyl, acetyl, CH_2 -furanyl, and CH_2 -thienyl;

each R^{11c} is independently a member selected from the group consisting of Br and CH_3 ;

R^{12} is $(CH_2)_sR^{12a}$;

R^{12a} is a member selected from the group consisting of cyclopentyl and cyclohexyl;

s is the integer 1 or 2;

Ar is a phenyl substituted with 0-2 R^{19} ; and

each R^{19} is independently a member selected from the group consisting of F, Cl, COOH, C_1 - C_4 alkoxy, $OCHF_2$ and OCF_3 .

8. (Currently amended) The compound of claim 1, wherein said compound is a member selected from the compounds of Table I:

TABLE I

- i. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-3-phenylpropyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- ii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(2-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(3-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iv. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(4-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- v. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(tetrahydro-2H-pyran-4-yl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;

- vi. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-cyclopentylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vii. (S)-N-{2-[4-(2,3-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- viii. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(4-chlorophenyl)methyl)-3-methylbenzamide;
- ix. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(phenyl)-methyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- x. N-((S)-1-(2-(4-(difluoromethoxy)phenylamino)ethylcarbamoyl)-2-cyclohexylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- xi. 4-[2-(3-Cyclohexyl-2-(S)-{[5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xii. 2-[2-(3-Cyclohexyl-2-(S)-{[5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xiii. 4-Cyclohexyl-2-(S)-(2-(R)-phenyl-propionylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-butyramide;
- xiv. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xv. (S)-2-{2-[4-(4-Acetyl-piperazin-1-yl)-phenoxy]-acetyl-amino}-3-cyclohexyl-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xvi. (S)-2-Chloro-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-methyl-benzamide;
- xvii. Cyclohexyl-2-[2-(4-methoxy-phenyl)-acetyl-amino]-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xviii. (S)-N-{2-[4-(3,5-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xix. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;
- xx. (S)-4-Benzoyloxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;

- xxi. (S)-4-Methoxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxii. 5-Methoxy-1H-indole-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxiii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-4-methyl-benzamide;
- xxiv. Furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxv. Thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvi. Furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(5-methyl-[1,2,4]oxadiazol-3-yl)-benzamide;
- xxviii. 5-(4-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxix. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxx. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxxi. 5-(3-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxii. Benzyl-morpholine-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxiii. (S)-N-{2-[4-(4-Dimethylamino-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xxxiv. 2'-Chloro-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxv. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- xxxvi. 5-(3-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvii. Thiophene-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxviii. Oxo-1-thiophen-2-ylmethyl-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxix. Furan-2-ylmethyl-5-oxo-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. Methyl-5-(pyrrolidine-1-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xli. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl.ii. 5-p-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl.iii. Benzoimidazol-1-ylmethyl-N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- xliv. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl. v. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-p-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- xlvi. Cyclohexyl-2-(S)-(2-tetrazol-1-yl-acetylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xl. vii. 5-m-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. viii. 2,7-Dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. ix. 2-Methyl-5-(morpholine-4-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- l. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- li. 5-m-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lii. (S)-2,3-Dihydro-benzofuran-7-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- liii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- liv. 2-Phenyl-thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lv. (S)-3-Cyano-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- lvii. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-3-phenyl-2-(3-phenyl-ureido)-propionamide;
- lviii. 3-Cyclohexyl-2-(S)-(2-(S)-hydroxy-2-phenyl-acetyl-amino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- lix. Benzo[c]isoxazole-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-difluoromethoxy-benzamide;
- lxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-isopropoxy-benzamide;
- lxii. Phenyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxiii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-nicotinamide;
- lxiv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-isonicotinamide;
- lxv. Phenyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- lxvi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-o-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- lxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-oxazol-5-yl-benzamide;
- lxviii. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lix. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxx. 5-p-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-[(4,6-dimethyl-pyrimidin-2-yl)-methyl-amino]-benzamide;
- lxxii. 1-(4,6-Dimethyl-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxiii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(4,6-dimethoxy-pyrimidin-2-yloxy)-benzamide;
- lxxiv. 3'-Methoxy-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxv. N-{3-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-2-(R)-phenyl-butyramide;
- lxxvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-2-yl)-acetyl-amino)-propionamide;
- lxxvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-3-yl)-acetyl-amino)-propionamide;
- lxxviii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lxxix. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethoxy-pyrimidin-2-yl)-benzamide;

- lxxxix. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxii. (S)-2-(2-Cyclopent-2-enyl-acetyl-amino)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(2-1H-indol-3-yl-acetyl-amino)-propionamide;
- lxxxiv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonylamino-benzamide;
- lxxxv. 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxvi. Cyclohexyl-2-(S)-(2-(R,S)-fluoro-2-phenyl-acetyl-amino)-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- lxxxvii. Cyclohexyl-N-(S)-[2-(4-fluoro-phenylamino)-ethyl]-2-[2-(4-trifluoromethoxy-phenyl)-acetyl-amino]-propionamide;
- lxxxviii. (S)-2-[3-(4-Chloro-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxix. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-[3-(4-phenoxy-phenyl)-ureido]-3-phenyl-propionamide;
- xc. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-(3-phenethyl-ureido)-3-phenyl-propionamide;
- xc. (S)-2-[3-(4-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- xciii. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xciv. (S)-2-(3-Benzo[1,3] dioxol-5-yl-ureido)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcv. 3-Cyclohexyl-2-(S)-[2-(2,5-difluorophenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;

- xcvi. (S)-2-[3-(3-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcvii. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-3-phenyl-2-(3-o-tolyl-ureido)-propionamide;
- xcviii. (S)-N-{2-[4-(3,4-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xcix. 3-Cyclohexyl-2-(S)-[2-(3,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- c. 3-Cyclohexyl-2-(S)-[2-(2,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- ci. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-(3-naphthalen-1-yl-ureido)-3-phenyl-propionamide;
- cii. (S)-2-[3-(2-tert-Butyl-6-methyl-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- ciii. (S)-2-[3-(4-Acetyl-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- civ. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-[3-(3-methoxy-phenyl)-ureido]-3-phenyl-propionamide;
- cv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-trifluoromethyl-benzamide;
- cvii. 2-(S)-[2-(2-Chloro-4-fluoro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cix. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cx. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethyl-benzamide;

- cxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-3,5-dimethyl-benzamide;
- cxii. (S)-3-Bromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methyl-benzamide;
- cxiii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxiv. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxv. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvi. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvii. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxviii. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-dimethylamino-benzamide;
- cxx. (S)-3-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxi. (S)-4-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxii. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;
- cxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxxv. 3-Cyclohexyl-2-(S)-[2-(3,5-difluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;

- cxxvi. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethyl-benzamide;
- cxxvii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-morpholin-4-yl-benzamide;
- cxxviii. (4-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cxxix. (S)-4-Benzoyloxy-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxix. (S)-Biphenyl-4-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxi. (S)-5-Chloro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxiii. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxiv. (S)-5-Chloro-benzofuran-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxv. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-butyramide;
- cxxxvi. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxvii. (S)-Benzothiazole-6-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxviii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethoxy-benzamide;
- cxxxix. (S)-3-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxli. (S)-4-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;

- cxli. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- cxlii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxliii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxliv. (S)-Biphenyl-3-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxlv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- cxlvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,4-difluoro-benzamide;
- cxlvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-2-methyl-benzamide;
- cxlviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-methyl-benzamide;
- cxlix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-trifluoromethyl-benzamide;
- cl. (S)-5-Methyl-1-phenyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cli. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-propyl-benzamide;
- clii. 3-Cyclohexyl-2-(S)-[2-(4-fluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cliii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-benzamide;
- cliv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-5-trifluoromethyl-benzamide;
- clv. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;

- clvi. (S)-5-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-fluoro-2-methyl-benzamide;
- clviii. (S)-1-Phenyl-cyclopropanecarboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clix. (S)-3-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(2-phenylamino-acetylamino)-propionamide;
- clx. 3-Cyclohexyl-2-(S)-(2-(R)-hydroxy-2-phenyl-acetylamino)-N-[2-(4-methoxy-phenylamino)-ethyl]-propionamide ;
- clxi. (S)-1-(4-Fluoro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxii. (S)-1-(4-Methoxy-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiii. (S)-1-(4-Chloro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiv. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-butyramide;
- clxv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-5-trifluoromethyl-benzamide;
- clxvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-3-trifluoromethyl-benzamide;
- clxvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-methyl-benzamide;
- clxviii. (S)-5-(4-Chloro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-4-trifluoromethyl-benzamide;
- clxx. (S)-4'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- clxxi. (S)-3', 5'-Dichloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxii. (S)-3'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiii. (S)-3'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiv. (S)-2'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxv. (S)-4'-Chloro-biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxvi. (S)-4-Benzo[1,3]dioxol-5-yl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxvii. (S)-5-Bromo-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxviii. (S)-3,5-Dibromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxix. (S)-3,5-Dichloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxx. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethoxy-benzamide;
- clxxxi. (S)-Biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxii. (S)-5-Bromo-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- clxxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-phenoxy-benzamide;
- clxxxv. (S)-1H-Indole-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- clxxxvi. (S)-Benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvii. (S)-2-Amino-benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxviii. (S)-4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxix. (S)-4-(4-Chloro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxc. (S)-2-Methyl-5-trifluoromethyl-oxazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xcxi. (S)-4-(4-Methoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xcxii. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- xcxiii. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xcxiv. (S)-2'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xcv. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xcvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- xcvii. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xcviii. (S)-3'-Fluoro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xcix. (S)-3-Aminomethyl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cc. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-morpholin-4-ylmethyl-benzamide;

- cci. (S)-5-(2-Fluoro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- cciii. (S)-N-{4-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-butyl}-3-methyl-benzamide;
- cciv. (S)-N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-phenyl-methyl}-3-methyl-benzamide;
- ccv. (S)-5-(4-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-3-phenyl-propyl}-3-methyl-benzamide;
- ccvii. (S)-5-(4-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-4-phenyl-but-3-enyl}-3-methyl-benzamide;
- ccix. (S)-5-(3-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccx. (S)-5-(2-Methoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxi. N-{(4-Methoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxii. (S)-5-(2-Fluoro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiii. (S)-5-(4-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiv. N-{(2-Benzoyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxv. (S)-5-(4-Trifluoromethoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- ccxvi. N-{(2-Chloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxvii. N-{(4-Benzyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxviii. N-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-naphthalen-1-yl-methyl}-3-methyl-benzamide;
- ccxix. (S)-5-(2-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxx. N-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-o-tolyl-methyl}-3-methyl-benzamide;
- ccxxi. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- ccxxii. N-{(2,4-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxiii. N-{(2,3-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxiv. N-{(2,4-Dimethyl-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxv. N-{(2,4-Dimethoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxvi. N-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-thiophen-2-yl-methyl}-3-methyl-benzamide;
- ccxxvii. N-{(4-Fluoro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxviii. (S)-N-{2-(4-Hydroxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxix. (S)-N-{2-(2,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxx. (S)-N-{2-(3,5-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxxxix. (S)-N-{2-(3,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxii. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- ccxxxiii. (S)-N-{2-(4-Acetylamino-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxiv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxxxv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-p-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxvi. (S)-N-{2-(3-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxvii. (S)-N-{2-(3,4-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-m-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxix. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccxli. (S)-N-{2-(4-Cyano-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlii. (S)-N-{2-(4-Bromo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliii. (S)-N-{2-(4-Iodo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliv. (S)-N-{2-(4-Chloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-ethyl]-3-methyl-benzamide;
- ccxlv. (S)-N-{2-(4-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxlvii. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxlviii. (S)-N-{2-(4-Benzoyloxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlix. (S)-N-{2-[4-(2,6-Dichloro-benzoyloxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccl. 2-Amino-4-methyl-thiazole-5-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccli. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccclii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- cccliii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- cccliv. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccclv. (S)-N-{2-(4-tert-Butyl-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccclvi. Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- ccclvii. (S)-N-{2-(1H-Indol-3-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccclviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-1-yl-ethyl}-3-methyl-benzamide;
- ccclix. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- ccclx. 3-Cyclohexyl-2-(S)-[2-(3-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;

- cclxi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-2-yl-ethyl]-3-methyl-benzamide;
- cclxii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-pyridin-3-yl-ethyl]-3-methyl-benzamide;
- cclxiii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-pyridin-4-yl-ethyl]-3-methyl-benzamide;
- cclxiv. Furan-2-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-amide;
- cclxv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-tetrazol-1-yl-acetyl-amino)-propionamide;
- cclxvi. N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-propyl]-3-methyl-benzamide;
- cclxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-m-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- cclxviii. threo-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-propyl]-3-methyl-benzamide;
- cclxix. erythro-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-propyl]-3-methyl-benzamide;
- cclxx. (S)-N-[2-Biphenyl-4-yl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl]-3-methyl-benzamide;
- cclxxi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxii. Furan-3-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-amide;
- cclxxiii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxiv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-3-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-thiophen-3-yl-phenyl)-ethyl]-3-methyl-benzamide;


- cclxxvi. (S)-N-{2-(4'-Cyano-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-4-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxviii. (S)-N-{2-(4'-Chloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxix. (S)-N-{2-(2',3'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxx. (S)-N-{2-(3'-Amino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxi. (S)-N-{2-(3',4'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxii. (S)-N-{2-(4'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiii. (S)-N-{2-(5'-Fluoro-2'-methoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiv. (S)-N-{2-(3'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxv. (S)-N-{2-(2',5'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvi. (S)-N-{2-(2',5'-Dichloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvii. (S)-N-{2-(4'-Dimethylamino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxviii. (S)-N-{2-(2'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxix. (S)-N-{2-(4'-Hydroxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxc. (S)-N-{2-(3'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxcxi. (S)-N-{2-[4-(2,4-Dimethoxy-pyrimidin-5-yl)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxcii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-[4-(6-methoxy-pyridin-3-yl)-phenyl]-ethyl}-3-methyl-benzamide;
- ccxciii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxciv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- ccxcv. Pyridazine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcvi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonyl-benzamide;
- ccxcvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-1H-tetrazol-5-yl-acetyl-amino)-propionamide;
- ccxcviii. Cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcix. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonylamino-benzamide;
- ccc. (S)-N-{2-[4-(4-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccci. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methoxy-phenyl)-acetyl-amino]-propionamide;
- cccii. 2-(S)-[2-(3-Chloro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- ccciiii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-phenylacetyl-amino-propionamide;
- ccciv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-o-tolyl-acetyl-amino)-propionamide;
- cccv. 2-(S)-[2-(4-Chloro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;

- cccv. 3-Cyclohexyl-2-(S)-[2-(2-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccvii. 3-Cyclohexyl-2-(S)-diphenylacetyl-amino-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccviii. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(2-fluoro-biphenyl-4-yl)-propionamide;
- cccix. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-p-tolyl-propionamide;
- ccc. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(4-fluoro-phenyl)-propionamide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(4-hydroxy-phenyl)-propionamide;
- cccxi. 2-(4-Chloro-phenyl)-N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-propionamide;
- cccxi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;
- cccxi. Thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-amide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;
- cccxi. 4-Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxi. 3-Cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-2-(S)-(2-(R)-hydroxy-2-phenyl-acetyl-amino)-propionamide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-butyramide;
- cccxi. Phenyl-cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-amide;
- cccxi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R,S)-(4-fluoro-phenyl)-propionamide;

- cccxxi. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxxii. 5-(4-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccxxiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(3-trifluoromethyl-phenyl)-acetyl-amino]-propionamide;
- cccxxiv. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxxv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-trifluoromethyl-phenyl)-acetyl-amino]-propionamide;
- cccxxvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methanesulfonyl-phenyl)-acetyl-amino]-propionamide;
- cccxxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-phenoxy-phenyl)-ethyl]-3-methyl-benzamide;
- cccxxviii. (S)-N-{2-[4-(4-Methoxy-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxxix. (S)-N-{2-[4-(3-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxxx. (S)-N-{2-[4-(3,5-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide.



9. (Original) A pharmaceutical composition, said composition comprising a compound of Formula I:




(I)

or a pharmaceutically acceptable salt or prodrug thereof,
wherein:

W is a member selected from the group consisting of





R^1 is a member selected from the group consisting of phenyl substituted with 0-2 R^{1a} ,
pyridyl substituted with 0-2 R^{1a} , and pyridinium N-oxide substituted with 0-2 R^{1a} ;
each R^{1a} is independently a member selected from the group consisting of Cl, F, OCF_3 ,
 OCH_3 , CH_3 and CF_3 ;

X is a member selected from the group consisting of furanylene substituted with 0-1 R^x ,
thienylene substituted with 0-1 R^x , pyrazolylene substituted with 0-1 R^x ,
thiazolylene substituted with 0-1 R^x , and oxazolylene substituted with 0-1 R^x ;

R^x is a member selected from the group consisting of F, Cl, CH_3 and CF_3 ;

R^2 is a member selected from the group consisting of phenyl substituted with 0-2 R^{2a} ,
and $(CH_2)_nR^{2b}$;

each R^{2a} is independently a member selected from the group consisting of Cl, F, OCF_3 ,
 OCH_3 , CH_3 and CF_3 ;

R^{2b} is independently a member selected from the group consisting of phenyl substituted
with 0-2 R^{2a} ; cyclopentyl, cyclohexyl and tetrahydropyranyl;

n is the integer 1 or 2;

R^3 is $(CH_2)_mR^{3b}$;

R^{3b} is selected from the group consisting of phenyl substituted with 0-2 R^{2a} , cyclopentyl
and cyclohexyl;

m is the integer 1 or 2;

R^4 is a member selected from the group consisting of phenyl substituted with 0-3 R^{4a} ,
thienyl, tetrazolyl, cyclopentenyl and indolyl;

each R^{4a} is a member selected from the group consisting of phenyl, OH, C_1 - C_4 alkyl, C_1 -
 C_4 alkoxy, CF_3 , OCF_3 , F, Cl, $CH_3S(=O)_2$ -, morpholinyl, pyrrolidinyl, piperidinyl
and 4-acetylpiperazinyl;

Y is a member selected from the group consisting of $-CR^{17}R^{18}$, $-NH-CH_2-$ and $-O-CH_2-$;

- R^5 is a member selected from the group consisting of phenyl substituted with 0-2 R^{5a} , thienyl, naphthyl, and CH_2R^{5b} , CH_2CH_2 (cyclohexyl), $CH_2CH_2CH_2$ (cyclohexyl), CH_2CH_2Ph , $CH(CH_3)R^{5c}$, $CH_2CH=CHPh$, $-CH_2OCH_2Ph$, $-CH(CH_3)OCH_2Ph$; each R^{5a} is independently a member selected from the group consisting of F, Cl, NO_2 , OCH_3 , OCH_2Ph , OPh , CH_3 , OCF_3 and CF_3 ;
- R^{5b} is independently a member selected from the group consisting of phenyl substituted with 0-2 R^{5c} ; cyclopentyl, cyclohexyl, naphthyl, indolyl and pyridyl;
- R^{5c} is independently a member selected from the group consisting of OH, Cl, F, Br, I, CN, NO_2 , CH_3 , OCH_3 , tBu , $O-tBu$, $-NHC(=O)CH_3$, CF_3 , OCF_3 ; phenyl substituted with 0-2 R^{5d} ; phenoxy substituted with 0-2 R^{5d} ; benzyloxy substituted with 0-2 R^{5d} ; pyridyl substituted with 0-2 R^{5d} ; pyrimidinyl substituted with 0-2 R^{5d} ; thienyl substituted with 0-2 R^{5d} ;
- R^{5d} is independently a member selected from the group consisting of CH_3 , Cl, F, OCH_3 , CF_3 , OCF_3 , $N(CH_3)_2$, acetyl, OH, CH_2OH , NH_2 , CN and NO_2 ;
- R^{5e} is phenyl substituted with 0-2 R^{5a} ;
- R^6 is a member selected from the group consisting of phenyl substituted with 0-3 R^{6a} , furanyl substituted with 0-2 R^{6b} , thienyl substituted with 0-2 R^{6b} , oxazolyl substituted with 0-2 R^{6b} , thiazolyl substituted with 0-2 R^{6b} , pyridyl, pyridazinyl and cyclopropyl;
- each R^{6a} is independently a member selected from the group consisting of Cl, F, Br, OCF_3 , CF_3 , C_1 - C_4 alkyl, C_1 - C_4 alkoxy, $-S(=O)_2CH_3$, CN, $-N(CH_3)_2$, OCF_2H , $-CH_2$ -benzimidazole, $-NH-S(=O)_2CH_3$, $-NR^{13}R^{14}$, OR^{14} , CH_2 -morpholine, CH_2NH_2 , OCH_2Ph , and OPh ;
- alternatively, two R^{6a} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);
- each R^{6b} is independently a member selected from the group consisting of NH_2 , F, Cl, Br, $-S(=O)_2R^{15}$, CH_3 , and CF_3 ;
- R^7 is a member selected from the group consisting of $(CH_2)_p R^{7a}$, and naphthyl substituted with 0-2 R^{7b} ;

p is the integer 0, 1, or 2;

R^{7a} is phenyl substituted with 0-2 R^{7b};

R^{7b} is a member selected from the group consisting of F, Cl, CF₃, C₁-C₄ alkyl, C₁-C₄ alkoxy, OCF₃, phenoxy and acetyl;

alternatively, two R^{7b} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

R⁸ is -CH₂-R^{3b};

R⁹ is (CH₂)_qR^{9a};

R^{9a} is a member selected from the group consisting of cyclopentyl, phenyl and cyclohexyl;

q is the integer 1 or 2;

R¹⁰ is a member selected from the group consisting of phenyl substituted with 0-2 R^{10a}, 5 membered heteroaryl containing 1 to 4 heteroatoms each independently a member selected from the group consisting of N, O and S, wherein said heteroaryl is substituted with 0-2 R^{10a}, 6 membered heteroaryl containing 1 to 2 N, wherein said heteroaryl is substituted with 0-2 R^{10a}, morpholinyl substituted with 0-2 R^{10a}, piperazinyl substituted with 0-2 R^{10a} and piperidinyl substituted with 0-2 R^{10a}; each R^{10a} is independently a member selected from the group consisting of Cl, F, C₁-C₄ alkyl, C₁-C₄ alkoxy, OCF₃, and CF₃;

alternatively, two R^{10a} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical comprises 1 or 2 heteroatom(s);

Z is phenylene;

R¹¹ is a member selected from the group consisting of indolyl substituted with 0-2 R^{11a}, benzofuranyl substituted with 0-2 R^{11a}, benzothieryl substituted with 0-2 R^{11a}, benzothiazolyl substituted with 0-2 R^{11a}, benzisoxazolyl substituted with 0-2 R^{11a}, benzoxazolyl substituted with 0-2 R^{11a}, and pyrazolo[1,5-a]pyrimidinyl substituted with 0-2 R^{11a}, piperidinyl N-substituted with 0-1 R^{11b}, morpholinyl N-substituted with 0-1 R^{11b}; and 2-oxo-pyrrolidinyl with 0-1 R^{11b};

each R^{11a} is independently a member selected from the group consisting of Cl, F, NH₂, CH₃, OCH₃, -C(=O)OCH₃, OCF₃, and CF₃;
each R^{11b} is independently a member selected from the group consisting of pyrimidinyl substituted with 0-2 R^{11c}; benzyl, acetyl, CH₂-furanyl, and CH₂-thienyl;
each R^{11c} is independently a member selected from the group consisting of Br and CH₃;
R¹² is (CH₂)_sR^{12a};
R^{12a} is a member selected from the group consisting of cyclopentyl and cyclohexyl;
s is the integer 1 or 2;
R¹³ is a member selected from the group consisting of H and C₁-C₄ alkyl;
R¹⁴ is pyrimidinyl substituted with 0-2 R¹⁶;
R¹⁵ is a member selected from the group consisting of C₁-C₄ alkyl, morpholinyl, pyrrolidinyl and piperidinyl;
R¹⁶ is a member selected from the group consisting of CH₃ and OCH₃;
each of R¹⁷ and R¹⁸ is independently a member of H, OH, F, phenyl and C₁-C₃ alkyl; alternatively, R¹⁷ and R¹⁸ may be taken together to form a C₃-C₆ cycloalkyl;
Ar is a phenyl substituted with 0-2 R¹⁹;
each R¹⁹ is independently a member selected from the group consisting of F, Cl, COOH, C₁-C₄ alkoxy, OCHF₂ and OCF₃;
and a pharmaceutically acceptable excipient.

10. (Currently amended) The composition of claim 9, wherein said compound is a member selected from the compounds of Table I:

TABLE I

- i. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-3-phenylpropyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- ii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(2-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(3-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iv. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(4-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;

- v. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(tetrahydro-2H-pyran-4-yl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vi. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-cyclopentylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vii. (S)-N-{2-[4-(2,3-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- viii. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(4-chlorophenyl)methyl)-3-methylbenzamide;
- ix. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(phenyl)-methyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- x. N-((S)-1-(2-(4-(difluoromethoxy)phenylamino)ethylcarbamoyl)-2-cyclohexylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- xi. 4-[2-(3-Cyclohexyl-2-(S)-{[5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xii. 2-[2-(3-Cyclohexyl-2-(S)-{[5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xiii. 4-Cyclohexyl-2-(S)-(2-(R)-phenyl-propionylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-butyramide;
- xiv. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xv. (S)-2-{2-[4-(4-Acetyl-piperazin-1-yl)-phenoxy]-acetyl-amino}-3-cyclohexyl-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xvi. (S)-2-Chloro-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-methyl-benzamide;
- xvii. Cyclohexyl-2-[2-(4-methoxy-phenyl)-acetyl-amino]-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xviii. (S)-N-{2-[4-(3,5-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xix. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;

- xx. (S)-4-Benzoyloxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxi. (S)-4-Methoxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxii. 5-Methoxy-1H-indole-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxiii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-4-methyl-benzamide;
- xxiv. Furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxv. Thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvi. Furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(5-methyl-[1,2,4]oxadiazol-3-yl)-benzamide;
- xxviii. 5-(4-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxix. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxx. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxxi. 5-(3-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxii. Benzyl-morpholine-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxiii. (S)-N-{2-[4-(4-Dimethylamino-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xxxiv. 2'-Chloro-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- xxxv. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvi. 5-(3-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvii. Thiophene-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxviii. Oxo-1-thiophen-2-ylmethyl-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxix. Furan-2-ylmethyl-5-oxo-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. Methyl-5-(pyrrolidine-1-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xli. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl.ii. 5-p-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl.iii. Benzoimidazol-1-ylmethyl-N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- xl.ii. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl.ii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-p-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- xl.ii. Cyclohexyl-2-(S)-(2-tetrazol-1-yl-acetylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xl.ii. 5-m-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl.ii. 2,7-Dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl.ii. 2-Methyl-5-(morpholine-4-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- i. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ii. 5-m-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- iii. (S)-2,3-Dihydro-benzofuran-7-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- iiii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- liv. 2-Phenyl-thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lv. (S)-3-Cyano-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- lvii. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-3-phenyl-2-(3-phenyl-ureido)-propionamide;
- lviii. 3-Cyclohexyl-2-(S)-(2-(S)-hydroxy-2-phenyl-acetylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- lix. Benzo[c]isoxazole-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-difluoromethoxy-benzamide;
- lxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-isopropoxy-benzamide;
- lxii. Phenyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxiii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-nicotinamide;
- lxiv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-isonicotinamide;

- lxv. Phenyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxvi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-o-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- lxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-oxazol-5-yl-benzamide;
- lxviii. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxix. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxx. 5-p-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-[(4,6-dimethyl-pyrimidin-2-yl)-methyl-amino]-benzamide;
- lxxii. 1-(4,6-Dimethyl-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxiii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(4,6-dimethoxy-pyrimidin-2-yloxy)-benzamide;
- lxxiv. 3'-Methoxy-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxv. N-{3-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-2-(R)-phenyl-butyramide;
- lxxvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-2-yl)-acetyl-amino)-propionamide;
- lxxvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-3-yl)-acetyl-amino)-propionamide;
- lxxviii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lxxix. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- lxxx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethoxy-pyrimidin-2-yl)-benzamide;
- lxxxi. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxii. (S)-2-(2-Cyclopent-2-enyl-acetyl-amino)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(2-1H-indol-3-yl-acetyl-amino)-propionamide;
- lxxxiv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonylamino-benzamide;
- lxxxv. 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxvi. Cyclohexyl-2-(S)-(2-(R,S)-fluoro-2-phenyl-acetyl-amino)-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- lxxxvii. Cyclohexyl-N-(S)-[2-(4-fluoro-phenylamino)-ethyl]-2-[2-(4-trifluoromethoxy-phenyl)-acetyl-amino]-propionamide;
- lxxxviii. (S)-2-[3-(4-Chloro-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxix. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-[3-(4-phenoxy-phenyl)-ureido]-3-phenyl-propionamide;
- xc. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-(3-phenethyl-ureido)-3-phenyl-propionamide;
- xc. (S)-2-[3-(4-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- xciii. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xciv. (S)-2-(3-Benzof[1,3] dioxol-5-yl-ureido)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;

- xcv. 3-Cyclohexyl-2-(S)-[2-(2,5-difluorophenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- xcvi. (S)-2-[3-(3-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcvii. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-3-phenyl-2-(3-o-tolyl-ureido)-propionamide;
- xcviii. (S)-N-{2-[4-(3,4-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xcix. 3-Cyclohexyl-2-(S)-[2-(3,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- c. 3-Cyclohexyl-2-(S)-[2-(2,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- ci. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-(3-naphthalen-1-yl-ureido)-3-phenyl-propionamide;
- cii. (S)-2-[3-(2-tert-Butyl-6-methyl-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- ciii. (S)-2-[3-(4-Acetyl-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- civ. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-[3-(3-methoxy-phenyl)-ureido]-3-phenyl-propionamide;
- cv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-trifluoromethyl-benzamide;
- cvii. 2-(S)-[2-(2-Chloro-4-fluoro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cix. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;

- cx. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethyl-benzamide;
- cxi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-3,5-dimethyl-benzamide;
- cxii. (S)-3-Bromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methyl-benzamide;
- cxiii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxiv. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxv. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvi. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvii. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxviii. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-dimethylamino-benzamide;
- cxx. (S)-3-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxi. (S)-4-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxii. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;
- cxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;

- cxxv. 3-Cyclohexyl-2-(S)-[2-(3,5-difluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cxxvi. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethyl-benzamide;
- cxxvii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-morpholin-4-yl-benzamide;
- cxxviii. (4-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cxxix. (S)-4-Benzyloxy-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxxx. (S)-Biphenyl-4-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxi. (S)-5-Chloro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxiii. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxiv. (S)-5-Chloro-benzofuran-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxv. N-[2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl]-2-(R)-phenyl-butyramide;
- cxxxvi. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxvii. (S)-Benzothiazole-6-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxviii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethoxy-benzamide;
- cxxxix. (S)-3-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;

- cxl. (S)-4-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxli. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- cxlii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxliii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxliv. (S)-Biphenyl-3-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxlv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- cxlvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,4-difluoro-benzamide;
- cxlvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-2-methyl-benzamide;
- cxlviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-methyl-benzamide;
- cxlix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-trifluoromethyl-benzamide;
- cl. (S)-5-Methyl-1-phenyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cli. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-propyl-benzamide;
- clii. 3-Cyclohexyl-2-(S)-[2-(4-fluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cliii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-benzamide;
- cliv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-5-trifluoromethyl-benzamide;

- clv. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvi. (S)-5-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-fluoro-2-methyl-benzamide;
- clviii. (S)-1-Phenyl-cyclopropanecarboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clix. (S)-3-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(2-phenylamino-acetyl-amino)-propionamide;
- clx. 3-Cyclohexyl-2-(S)-(2-(R)-hydroxy-2-phenyl-acetyl-amino)-N-[2-(4-methoxy-phenylamino)-ethyl]-propionamide ;
- clxi. (S)-1-(4-Fluoro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxii. (S)-1-(4-Methoxy-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiii. (S)-1-(4-Chloro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiv. N-[2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl]-2-(S)-phenyl-butyramide;
- clxv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-5-trifluoromethyl-benzamide;
- clxvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-3-trifluoromethyl-benzamide;
- clxvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-methyl-benzamide;
- clxviii. (S)-5-(4-Chloro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-4-trifluoromethyl-benzamide;

- clxx. (S)-4'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxi. (S)-3', 5'-Dichloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxii. (S)-3'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiii. (S)-3'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiv. (S)-2'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxv. (S)-4'-Chloro-biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxvi. (S)-4-Benzo[1,3]dioxol-5-yl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxvii. (S)-5-Bromo-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxviii. (S)-3,5-Dibromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxix. (S)-3,5-Dichloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxx. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethoxy-benzamide;
- clxxxi. (S)-Biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxii. (S)-5-Bromo-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- clxxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-phenoxy-benzamide;

- clxxxv. (S)-1H-Indole-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvi. (S)-Benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvii. (S)-2-Amino-benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxviii. (S)-4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxix. (S)-4-(4-Chloro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxc. (S)-2-Methyl-5-trifluoromethyl-oxazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxc. (S)-4-(4-Methoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcii. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- cxciii. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxciv. (S)-2'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcv. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- cxcvii. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcviii. (S)-3'-Fluoro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcix. (S)-3-Aminomethyl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;

- cc. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-morpholin-4-ylmethyl-benzamide;
- cci. (S)-5-(2-Fluoro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- cciii. (S)-N-{4-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-butyl}-3-methyl-benzamide;
- cciv. (S)-N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-phenyl-methyl}-3-methyl-benzamide;
- ccv. (S)-5-(4-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-3-phenyl-propyl}-3-methyl-benzamide;
- ccvii. (S)-5-(4-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-4-phenyl-but-3-enyl}-3-methyl-benzamide;
- ccix. (S)-5-(3-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccx. (S)-5-(2-Methoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxi. N-{(4-Methoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxii. (S)-5-(2-Fluoro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiii. (S)-5-(4-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiv. N-{(2-Benzoyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;

- ccxv. (S)-5-(4-Trifluoromethoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxvi. N-[(2-Chloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxvii. N-[(4-Benzoyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxviii. N-[[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-naphthalen-1-yl-methyl]-3-methyl-benzamide;
- ccxix. (S)-5-(2-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxx. N-[[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-o-tolyl-methyl]-3-methyl-benzamide;
- ccxxi. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- ccxxii. N-[(2,4-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxiii. N-[(2,3-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxiv. N-[(2,4-Dimethyl-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxv. N-[(2,4-Dimethoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxvi. N-[[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-thiophen-2-yl-methyl]-3-methyl-benzamide;
- ccxxvii. N-[(4-Fluoro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxviii. (S)-N-{2-(4-Hydroxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxix. (S)-N-{2-(2,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxxx. (S)-N-{2-(3,5-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxi. (S)-N-{2-(3,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxii. (S)-4-Benzyloxy-N-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- ccxxxiii. (S)-N-{2-(4-Acetyl-amino-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxiv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxxxv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-p-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxvi. (S)-N-{2-(3-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxvii. (S)-N-{2-(3,4-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-m-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxix. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccxl. (S)-N-{2-(4-Cyano-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxli. (S)-N-{2-(4-Bromo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlii. (S)-N-{2-(4-Iodo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlili. (S)-N-{2-(4-Chloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-ethyl]-3-methyl-benzamide;

- ccxlv. (S)-N-{2-(4-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlvi. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxlvii. (S)-N-{2-(4-Benzoyloxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlviii. (S)-N-{2-[4-(2,6-Dichloro-benzoyloxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlix. (S)-N-{2-(4-Methoxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccl. 2-Amino-4-methyl-thiazole-5-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccli. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cclii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccliii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccliv. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclv. (S)-N-{2-(4-tert-Butyl-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclvi. Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cclvii. (S)-N-{2-(1H-Indol-3-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-1-yl-ethyl}-3-methyl-benzamide;
- cclix. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;

- cclx. 3-Cyclohexyl-2-(S)-[2-(3-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cclxi. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-naphthalen-2-yl-ethyl]-3-methyl-benzamide;
- cclxii. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-pyridin-3-yl-ethyl]-3-methyl-benzamide;
- cclxiii. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-pyridin-4-yl-ethyl]-3-methyl-benzamide;
- cclxiv. Furan-2-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethyl-carbamoyl]-ethyl]-amide;
- cclxv. 3-Cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-2-(S)-(2-tetrazol-1-yl-acetyl-amino)-propionamide;
- cclxvi. N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(4-nitro-phenyl)-propyl]-3-methyl-benzamide;
- cclxvii. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(4-m-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- cclxviii. threo-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-phenyl-propyl]-3-methyl-benzamide;
- cclxix. erythro-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-phenyl-propyl]-3-methyl-benzamide;
- cclxx. (S)-N-[2-Biphenyl-4-yl-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl]-3-methyl-benzamide;
- cclxxi. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(3'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxii. Furan-3-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethyl-carbamoyl]-ethyl]-amide;
- cclxxiii. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(2'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxiv. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(4-pyridin-3-yl-phenyl)-ethyl]-3-methyl-benzamide;


- cclxxv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-thiophen-3-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxvi. (S)-N-{2-(4'-Cyano-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-4-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxviii. (S)-N-{2-(4'-Chloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxix. (S)-N-{2-(2',3'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxx. (S)-N-{2-(3'-Amino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxi. (S)-N-{2-(3',4'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxii. (S)-N-{2-(4'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiii. (S)-N-{2-(5'-Fluoro-2'-methoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiv. (S)-N-{2-(3'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxv. (S)-N-{2-(2',5'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvi. (S)-N-{2-(2',5'-Dichloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvii. (S)-N-{2-(4'-Dimethylamino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxviii. (S)-N-{2-(2'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxix. (S)-N-{2-(4'-Hydroxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxc. (S)-N-{2-(3'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxci. (S)-N-{2-[4-(2,4-Dimethoxy-pyrimidin-5-yl)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxcii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-[4-(6-methoxy-pyridin-3-yl)-phenyl]-ethyl}-3-methyl-benzamide;
- ccxciii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxciv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- ccxcv. Pyridazine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcvi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonyl-benzamide;
- ccxcvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-1H-tetrazol-5-yl-acetylamino)-propionamide;
- ccxcviii. Cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcix. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonylamino-benzamide;
- ccc. (S)-N-{2-[4-(4-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccci. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methoxy-phenyl)-acetylamino]-propionamide;
- cccii. 2-(S)-[2-(3-Chloro-phenyl)-acetylamino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- ccciii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-phenylacetylamino-propionamide;
- ccciv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-o-tolyl-acetylamino)-propionamide;

- cccv. 2-(S)-[2-(4-Chloro-phenyl)-acetylamino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cccv. 3-Cyclohexyl-2-(S)-[2-(2-fluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cccvi. 3-Cyclohexyl-2-(S)-diphenylacetylamino-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cccviii. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(2-fluoro-biphenyl-4-yl)-propionamide;
- cccix. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-p-tolyl-propionamide;
- ccc. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-(4-fluoro-phenyl)-propionamide;
- cccxi. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-(4-hydroxy-phenyl)-propionamide;
- cccxi. 2-(4-Chloro-phenyl)-N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-propionamide;
- cccxi. N-(S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-4-methanesulfonyl-benzamide;
- cccxi. Thiazole-4-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-amide;
- cccxi. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-(R)-phenyl-propionamide;
- cccxi. 4-Cyano-N-(S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-benzamide;
- cccxi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-(R)-hydroxy-2-phenyl-acetylamino)-propionamide;
- cccxi. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-(R)-phenyl-butyramide;
- cccxi. Phenyl-cyclopropanecarboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-amide;


- cccxx. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R,S)-(4-fluoro-phenyl)-propionamide;
- cccxxi. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxxii. 5-(4-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccxxiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(3-trifluoromethyl-phenyl)-acetylamino]-propionamide;
- cccxxiv. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxxv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-trifluoromethyl-phenyl)-acetylamino]-propionamide;
- cccxxvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methanesulfonyl-phenyl)-acetylamino]-propionamide;
- cccxxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-phenoxy-phenyl)-ethyl]-3-methyl-benzamide;
- cccxxviii. (S)-N-{2-[4-(4-Methoxy-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxxix. (S)-N-{2-[4-(3-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxxx. (S)-N-{2-[4-(3,5-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide.


11. (Original) A method of selectively inhibiting cathepsin S activity in a mammal in need thereof, comprising administering to said mammal a therapeutically effective amount of a compound of Formula I:



or a pharmaceutically acceptable salt or prodrug thereof,
wherein:

W is a member selected from the group consisting of





R^1 is a member selected from the group consisting of phenyl substituted with 0-2 R^{1a} ,
pyridyl substituted with 0-2 R^{1a} , and pyridinium N-oxide substituted with 0-2 R^{1a} ;
each R^{1a} is independently a member selected from the group consisting of Cl, F, OCF_3 ,
 OCH_3 , CH_3 and CF_3 ;

X is a member selected from the group consisting of furanylene substituted with 0-1 R^x ,
thienylene substituted with 0-1 R^x , pyrazolylene substituted with 0-1 R^x ,
thiazolylene substituted with 0-1 R^x , and oxazolylene substituted with 0-1 R^x ;

R^x is a member selected from the group consisting of F, Cl, CH_3 and CF_3 ;

R^2 is a member selected from the group consisting of phenyl substituted with 0-2 R^{2a} ,
and $(CH_2)_nR^{2b}$;

each R^{2a} is independently a member selected from the group consisting of Cl, F, OCF_3 ,
 OCH_3 , CH_3 and CF_3 ;

R^{2b} is independently a member selected from the group consisting of phenyl substituted
with 0-2 R^{2a} ; cyclopentyl, cyclohexyl and tetrahydropyranyl;

n is the integer 1 or 2;

R^3 is $(CH_2)_mR^{3b}$;

R^{3b} is selected from the group consisting of phenyl substituted with 0-2 R^{2a} , cyclopentyl
and cyclohexyl;

m is the integer 1 or 2;

R^4 is a member selected from the group consisting of phenyl substituted with 0-3 R^{4a} ,
thienyl, tetrazolyl, cyclopentenyl and indolyl;

each R^{4a} is a member selected from the group consisting of phenyl, OH, C_1 - C_4 alkyl, C_1 -
 C_4 alkoxy, CF_3 , OCF_3 , F, Cl, $CH_3S(=O)_2$ -, morpholinyl, pyrrolidinyl, piperidinyl
and 4-acetylpiperazinyl;

Y is a member selected from the group consisting of $-CR^{17}R^{18}$, $-NH-CH_2-$ and $-O-CH_2-$;

R^5 is a member selected from the group consisting of phenyl substituted with 0-2 R^{5a} , thienyl, naphthyl, and CH_2R^{5b} , CH_2CH_2 (cyclohexyl), $CH_2CH_2CH_2$ (cyclohexyl), CH_2CH_2Ph , $CH(CH_3)R^{5c}$, $CH_2CH=CHPh$, $-CH_2OCH_2Ph$, $-CH(CH_3)OCH_2Ph$; each R^{5a} is independently a member selected from the group consisting of F, Cl, NO_2 , OCH_3 , OCH_2Ph , OPh , CH_3 , OCF_3 and CF_3 ;

R^{5b} is independently a member selected from the group consisting of phenyl substituted with 0-2 R^{5c} ; cyclopentyl, cyclohexyl, naphthyl, indolyl and pyridyl;

R^{5c} is independently a member selected from the group consisting of OH, Cl, F, Br, I, CN, NO_2 , CH_3 , OCH_3 , tBu , $O-tBu$, $-NHC(=O)CH_3$, CF_3 , OCF_3 ; phenyl substituted with 0-2 R^{5d} ; phenoxy substituted with 0-2 R^{5d} ; benzyloxy substituted with 0-2 R^{5d} ; pyridyl substituted with 0-2 R^{5d} ; pyrimidinyl substituted with 0-2 R^{5d} ; thienyl substituted with 0-2 R^{5d} ;

R^{5d} is independently a member selected from the group consisting of CH_3 , Cl, F, OCH_3 , CF_3 , OCF_3 , $N(CH_3)_2$, acetyl, OH, CH_2OH , NH_2 , CN and NO_2 ;

R^{5e} is phenyl substituted with 0-2 R^{5a} ;

R^6 is a member selected from the group consisting of phenyl substituted with 0-3 R^{6a} , furanyl substituted with 0-2 R^{6b} , thienyl substituted with 0-2 R^{6b} , oxazolyl substituted with 0-2 R^{6b} , thiazolyl substituted with 0-2 R^{6b} , pyridyl, pyridazinyl and cyclopropyl;

each R^{6a} is independently a member selected from the group consisting of Cl, F, Br, OCF_3 , CF_3 , C_1-C_4 alkyl, C_1-C_4 alkoxy, $-S(=O)_2CH_3$, CN, $-N(CH_3)_2$, OCF_2H , $-CH_2$ -benzimidazole, $-NH-S(=O)_2CH_3$, $-NR^{13}R^{14}$, OR^{14} , CH_2 -morpholine, CH_2NH_2 , OCH_2Ph , and OPh ;

alternatively, two R^{6a} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

each R^{6b} is independently a member selected from the group consisting of NH_2 , F, Cl, Br, $-S(=O)_2R^{15}$, CH_3 , and CF_3

R^7 is a member selected from the group consisting of $(CH_2)_p R^{7a}$, and naphthyl substituted with 0-2 R^{7b} ;

p is the integer 0, 1, or 2;

R^{7a} is phenyl substituted with 0-2 R^{7b};

R^{7b} is a member selected from the group consisting of F, Cl, CF₃, C₁-C₄ alkyl, C₁-C₄ alkoxy, OCF₃, phenoxy and acetyl;

alternatively, two R^{7b} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

R⁸ is -CH₂-R^{3b};

R⁹ is (CH₂)_qR^{9a};

R^{9a} is a member selected from the group consisting of cyclopentyl, phenyl and cyclohexyl;

q is the integer 1 or 2;

R¹⁰ is a member selected from the group consisting of phenyl substituted with 0-2 R^{10a}, 5 membered heteroaryl containing 1 to 4 heteroatoms each independently a member selected from the group consisting of N, O and S, wherein said heteroaryl is substituted with 0-2 R^{10a}, 6 membered heteroaryl containing 1 to 2 N, wherein said heteroaryl is substituted with 0-2 R^{10a}, morpholinyl substituted with 0-2 R^{10a}, piperazinyl substituted with 0-2 R^{10a} and piperidinyl substituted with 0-2 R^{10a}; each R^{10a} is independently a member selected from the group consisting of Cl, F, C₁-C₄ alkyl, C₁-C₄ alkoxy, OCF₃, and CF₃;

alternatively, two R^{10a} substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical comprises 1 or 2 heteroatom(s);

Z is phenylene;

R¹¹ is a member selected from the group consisting of indolyl substituted with 0-2 R^{11a}, benzofuranyl substituted with 0-2 R^{11a}, benzothienyl substituted with 0-2 R^{11a}, benzothiazolyl substituted with 0-2 R^{11a}, benzisoxazolyl substituted with 0-2 R^{11a}, benzoxazolyl substituted with 0-2 R^{11a}, and pyrazolo[1,5-a]pyrimidinyl substituted with 0-2 R^{11a}, piperidinyl N-substituted with 0-1 R^{11b}, morpholinyl N-substituted with 0-1 R^{11b}; and 2-oxo-pyrrolidinyl with 0-1 R^{11b};

each R^{11a} is independently a member selected from the group consisting of Cl, F, NH₂, CH₃, OCH₃, -C(=O)OCH₃, OCF₃, and CF₃;
each R^{11b} is independently a member selected from the group consisting of pyrimidinyl substituted with 0-2 R^{11c}; benzyl, acetyl, CH₂-furanyl, and CH₂-thienyl;
each R^{11c} is independently a member selected from the group consisting of Br and CH₃;
R¹² is (CH₂)_sR^{12a};
R^{12a} is a member selected from the group consisting of cyclopentyl and cyclohexyl;
s is the integer 1 or 2;
R¹³ is a member selected from the group consisting of H and C₁-C₄ alkyl;
R¹⁴ is pyrimidinyl substituted with 0-2 R¹⁶;
R¹⁵ is a member selected from the group consisting of C₁-C₄ alkyl, morpholinyl, pyrrolidinyl and piperidinyl;
R¹⁶ is a member selected from the group consisting of CH₃ and OCH₃;
each of R¹⁷ and R¹⁸ is independently a member of H, OH, F, phenyl and C₁-C₃ alkyl; alternatively, R¹⁷ and R¹⁸ may be taken together to form a C₃-C₆ cycloalkyl;
Ar is a phenyl substituted with 0-2 R¹⁹; and
each R¹⁹ is independently a member selected from the group consisting of F, Cl, COOH, C₁-C₄ alkoxy, OCHF₂ and OCF₃.

12. (Original) The method of claim **11**, wherein the cathepsin S inhibition constant for a compound of Formula I is less than 10 μM.

13. (Original) The method of claim **12**, wherein the cathepsin S inhibition constant for a compound of Formula I is less than 1.0 μM.

14. (Original) The method of claim **13**, wherein the cathepsin S inhibition constant for a compound of Formula I is less than 0.1 μM.

15. (Original) The method of claim **11**, wherein cathepsin S is selectively inhibited in the presence of cathepsin K.

16. (Original) The method of claim **15**, wherein the inhibition constant of a compound of Formula I for cathepsin K is at least 10 times greater than a cathepsin S inhibition constant of a compound of Formula I.

17. (Original) The method of claim 16, wherein the inhibition constant of a compound of Formula I for cathepsin K is at least 100 times greater than said cathepsin S inhibition constant of a compound of Formula I.

18. (Original) The method of claim 17, wherein the inhibition constant of a compound of Formula I for cathepsin K is at least 1000 times greater than said cathepsin S inhibition constant of a compound of Formula I.

19. (Currently amended) The method of claim 11, wherein said compound is a member selected from the compounds of Table I:

TABLE I

- i. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-3-phenylpropyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- ii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(2-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(3-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iv. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(4-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- v. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(tetrahydro-2H-pyran-4-yl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vi. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-cyclopentylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vii. (S)-N-{2-[4-(2,3-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- viii. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(4-chlorophenyl)methyl)-3-methylbenzamide;
- ix. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(phenyl)-methyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- x. N-((S)-1-(2-(4-(difluoromethoxy)phenylamino)ethylcarbamoyl)-2-cyclohexylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;

- xi. 4-[2- (3-Cyclohexyl-2-(S)-{ [5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xii. 2-[2- (3-Cyclohexyl-2-(S)-{ [5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xiii. 4-Cyclohexyl-2-(S)-(2-(R)-phenyl-propionylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-butyramide;
- xiv. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xv. (S)-2-{2-[4-(4-Acetyl-piperazin-1-yl)-phenoxy]-acetylamino}-3-cyclohexyl-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xvi. (S)-2-Chloro-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-methyl-benzamide;
- xvii. Cyclohexyl-2-[2-(4-methoxy-phenyl)-acetylamino]-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xviii. (S)-N-{2-[4-(3,5-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xix. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;
- xx. (S)-4-Benzoyloxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxi. (S)-4-Methoxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxii. 5-Methoxy-1H-indole-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxiii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-4-methyl-benzamide;
- xxiv. Furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- xxv. Thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvi. Furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(5-methyl-[1,2,4]oxadiazol-3-yl)-benzamide;
- xxviii. 5-(4-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxix. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxx. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxxi. 5-(3-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxii. Benzyl-morpholine-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxiii. (S)-N-{2-[4-(4-Dimethylamino-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xxxiv. 2'-Chloro-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxv. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvi. 5-(3-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvii. Thiophene-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxviii. Oxo-1-thiophen-2-ylmethyl-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- xxxix. Furan-2-ylmethyl-5-oxo-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. Methyl-5-(pyrrolidine-1-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xli. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xlii. 5-p-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xliii. Benzoimidazol-1-ylmethyl-N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- xliv. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-p-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- xlvi. Cyclohexyl-2-(S)-(2-tetrazol-1-yl-acetylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xlvi. 5-m-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xlvi. 2,7-Dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xlix. 2-Methyl-5-(morpholine-4-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- l. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- li. 5-m-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lii. (S)-2,3-Dihydro-benzofuran-7-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;

- liii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- liv. 2-Phenyl-thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lv. (S)-3-Cyano-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- lvii. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-3-phenyl-2-(3-phenyl-ureido)-propionamide;
- lviii. 3-Cyclohexyl-2-(S)-(2-(S)-hydroxy-2-phenyl-acetyl-amino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- lix. Benzo[c]isoxazole-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-difluoromethoxy-benzamide;
- lxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-isopropoxy-benzamide;
- lxii. Phenyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxiii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-nicotinamide;
- lxiv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-isonicotinamide;
- lxv. Phenyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxvi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-o-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;

- lxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-oxazol-5-yl-benzamide;
- lxviii. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxix. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxx. 5-p-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-[(4,6-dimethyl-pyrimidin-2-yl)-methyl-amino]-benzamide;
- lxxii. 1-(4,6-Dimethyl-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxiii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(4,6-dimethoxy-pyrimidin-2-yloxy)-benzamide;
- lxxiv. 3'-Methoxy-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxv. N-{3-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-2-(R)-phenyl-butyramide;
- lxxvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-2-yl-acetyl-amino)-propionamide;
- lxxvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-3-yl-acetyl-amino)-propionamide;
- lxxviii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lxxix. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethoxy-pyrimidin-2-yl)-benzamide;

- lxxxix. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxii. (S)-2-(2-Cyclopent-2-enyl-acetyl-amino)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(2-1H-indol-3-yl-acetyl-amino)-propionamide;
- lxxxiv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonylamino-benzamide;
- lxxxv. 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxvi. Cyclohexyl-2-(S)-(2-(R,S)-fluoro-2-phenyl-acetyl-amino)-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- lxxxvii. Cyclohexyl-N-(S)-[2-(4-fluoro-phenylamino)-ethyl]-2-[2-(4-trifluoromethoxy-phenyl)-acetyl-amino]-propionamide;
- lxxxviii. (S)-2-[3-(4-Chloro-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxix. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-[3-(4-phenoxy-phenyl)-ureido]-3-phenyl-propionamide;
- xc. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-(3-phenethyl-ureido)-3-phenyl-propionamide;
- xcii. (S)-2-[3-(4-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xciii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- xciv. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xcv. (S)-2-(3-Benzo[1,3] dioxol-5-yl-ureido)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;

- xcv. 3-Cyclohexyl-2-(S)-[2-(2,5-difluorophenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- xcvi. (S)-2-[3-(3-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenyl-amino)-ethyl]-3-phenyl-propionamide;
- xcvii. (S)-N-[2-(4-Methoxy-phenyl-amino)-ethyl]-3-phenyl-2-(3-o-tolyl-ureido)-propionamide;
- xcviii. (S)-N-{2-[4-(3,4-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl}-3-methyl-benzamide;
- xcix. 3-Cyclohexyl-2-(S)-[2-(3,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- c. 3-Cyclohexyl-2-(S)-[2-(2,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- ci. (S)-N-[2-(4-Methoxy-phenyl-amino)-ethyl]-2-(3-naphthalen-1-yl-ureido)-3-phenyl-propionamide;
- cii. (S)-2-[3-(2-tert-Butyl-6-methyl-phenyl)-ureido]-N-[2-(4-methoxy-phenyl-amino)-ethyl]-3-phenyl-propionamide;
- ciii. (S)-2-[3-(4-Acetyl-phenyl)-ureido]-N-[2-(4-methoxy-phenyl-amino)-ethyl]-3-phenyl-propionamide;
- civ. (S)-N-[2-(4-Methoxy-phenyl-amino)-ethyl]-2-[3-(3-methoxy-phenyl)-ureido]-3-phenyl-propionamide;
- cv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl}-amide;
- cvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl}-3-trifluoromethyl-benzamide;
- cvii. 2-(S)-[2-(2-Chloro-4-fluoro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl}-3-methyl-benzamide;

- cix. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cx. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethyl-benzamide;
- cxi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-3,5-dimethyl-benzamide;
- cxii. (S)-3-Bromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methyl-benzamide;
- cxiii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxiv. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxv. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvi. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvii. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxviii. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-dimethylamino-benzamide;
- cxx. (S)-3-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxi. (S)-4-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxii. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;

- cxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxxv. 3-Cyclohexyl-2-(S)-[2-(3,5-difluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cxxvi. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethyl-benzamide;
- cxxvii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-morpholin-4-yl-benzamide;
- cxxviii. (4-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cxxix. (S)-4-Benzoyloxy-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cccc. (S)-Biphenyl-4-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cccci. (S)-5-Chloro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- ccccii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cccciii. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cccciv. (S)-5-Chloro-benzofuran-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- ccccv. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-butyramide;
- ccccvi. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;

- cxvii. (S)-Benzothiazole-6-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxviii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethoxy-benzamide;
- cxix. (S)-3-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxl. (S)-4-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxli. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- cxlii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxliii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxliv. (S)-Biphenyl-3-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxlv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- cxlvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,4-difluoro-benzamide;
- cxlvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-2-methyl-benzamide;
- cxlviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-methyl-benzamide;
- cxlix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-trifluoromethyl-benzamide;
- cl. (S)-5-Methyl-1-phenyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- cli. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-propyl-benzamide;
- clii. 3-Cyclohexyl-2-(S)-[2-(4-fluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cliii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-benzamide;
- cliv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-5-trifluoromethyl-benzamide;
- clv. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvi. (S)-5-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-fluoro-2-methyl-benzamide;
- clviii. (S)-1-Phenyl-cyclopropanecarboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clix. (S)-3-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(2-phenylamino-acetylamino)-propionamide;
- clx. 3-Cyclohexyl-2-(S)-(2-(R)-hydroxy-2-phenyl-acetylamino)-N-[2-(4-methoxy-phenylamino)-ethyl]-propionamide ;
- clxi. (S)-1-(4-Fluoro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxii. (S)-1-(4-Methoxy-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiii. (S)-1-(4-Chloro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiv. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-butyramide;

- clxv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-5-trifluoromethyl-benzamide;
- clxvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-3-trifluoromethyl-benzamide;
- clxvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-methyl-benzamide;
- clxviii. (S)-5-(4-Chloro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-4-trifluoromethyl-benzamide;
- clxx. (S)-4'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxi. (S)-3', 5'-Dichloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxii. (S)-3'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiii. (S)-3'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiv. (S)-2'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxv. (S)-4'-Chloro-biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxvi. (S)-4-Benzo[1,3]dioxol-5-yl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxvii. (S)-5-Bromo-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxviii. (S)-3,5-Dibromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;

- clxxix. (S)-3,5-Dichloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxx. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethoxy-benzamide;
- clxxxi. (S)-Biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxii. (S)-5-Bromo-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- clxxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-phenoxy-benzamide;
- clxxxv. (S)-1H-Indole-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvi. (S)-Benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvii. (S)-2-Amino-benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxviii. (S)-4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxix. (S)-4-(4-Chloro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxc. (S)-2-Methyl-5-trifluoromethyl-oxazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxci. (S)-4-(4-Methoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcii. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;

- exciii. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- exciv. (S)-2'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- excv. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- excvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- excvii. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- excviii. (S)-3'-Fluoro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- excix. (S)-3-Aminomethyl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cc. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-morpholin-4-ylmethyl-benzamide;
- cci. (S)-5-(2-Fluoro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- cciii. (S)-N-{4-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-butyl}-3-methyl-benzamide;
- cciv. (S)-N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-phenyl-methyl}-3-methyl-benzamide;
- ccv. (S)-5-(4-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-3-phenyl-propyl}-3-methyl-benzamide;

- ccvii. (S)-5-(4-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-4-phenyl-but-3-enyl}-3-methyl-benzamide;
- ccix. (S)-5-(3-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccx. (S)-5-(2-Methoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxi. N-{(4-Methoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxii. (S)-5-(2-Fluoro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiii. (S)-5-(4-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiv. N-{(2-Benzyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxv. (S)-5-(4-Trifluoromethoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxvi. N-{(2-Chloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxvii. N-{(4-Benzyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxviii. N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-naphthalen-1-yl-methyl}-3-methyl-benzamide;
- ccxix. (S)-5-(2-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxx. N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-o-tolyl-methyl}-3-methyl-benzamide;

- ccxxi. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- ccxxii. N-{(2,4-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxiii. N-{(2,3-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxiv. N-{(2,4-Dimethyl-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxv. N-{(2,4-Dimethoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxvi. N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-thiophen-2-yl-methyl}-3-methyl-benzamide;
- ccxxvii. N-{(4-Fluoro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxviii. (S)-N-{2-(4-Hydroxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxix. (S)-N-{2-(2,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxx. (S)-N-{2-(3,5-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxi. (S)-N-{2-(3,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxii. (S)-4-Benzyloxy-N-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- ccxxxiii. (S)-N-{2-(4-Acetylamino-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxiv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- ccxxxv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-p-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxvi. (S)-N-{2-(3-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxvii. (S)-N-{2-(3,4-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-m-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxix. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccxli. (S)-N-{2-(4-Cyano-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlii. (S)-N-{2-(4-Bromo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliii. (S)-N-{2-(4-Iodo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-ethyl]-3-methyl-benzamide;
- ccxlv. (S)-N-{2-(4-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlvi. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxlvii. (S)-N-{2-(4-Benzyloxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlviii. (S)-N-{2-[4-(2,6-Dichloro-benzyloxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxlix. (S)-N-{2-(4-Methoxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccl. 2-Amino-4-methyl-thiazole-5-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccli. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cclii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccliii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccliv. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclv. (S)-N-{2-(4-tert-Butyl-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclvi. Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cclvii. (S)-N-{2-(1H-Indol-3-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-1-yl-ethyl}-3-methyl-benzamide;
- cclix. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- cclx. 3-Cyclohexyl-2-(S)-[2-(3-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cclxi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-2-yl-ethyl}-3-methyl-benzamide;
- cclxii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-pyridin-3-yl-ethyl}-3-methyl-benzamide;

- cclxiii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-pyridin-4-yl-ethyl}-3-methyl-benzamide;
- cclxiv. Furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cclxv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-tetrazol-1-yl-acetyl-amino)-propionamide;
- cclxvi. N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-propyl]-3-methyl-benzamide;
- cclxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-m-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- cclxviii. threo-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-propyl}-3-methyl-benzamide;
- cclxix. erythro-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-propyl}-3-methyl-benzamide;
- cclxx. (S)-N-{2-Biphenyl-4-yl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxii. Furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cclxxiii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxiv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-3-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-thiophen-3-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxvi. (S)-N-{2-(4'-Cyano-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- cclxxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-4-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxviii. (S)-N-{2-(4'-Chloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxix. (S)-N-{2-(2',3'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxx. (S)-N-{2-(3'-Amino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxi. (S)-N-{2-(3',4'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxii. (S)-N-{2-(4'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiii. (S)-N-{2-(5'-Fluoro-2'-methoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiv. (S)-N-{2-(3'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxv. (S)-N-{2-(2',5'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvi. (S)-N-{2-(2',5'-Dichloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvii. (S)-N-{2-(4'-Dimethylamino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxviii. (S)-N-{2-(2'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxix. (S)-N-{2-(4'-Hydroxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxc. (S)-N-{2-(3'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxcxi. (S)-N-{2-[4-(2,4-Dimethoxy-pyrimidin-5-yl)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxcii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-[4-(6-methoxy-pyridin-3-yl)-phenyl]-ethyl}-3-methyl-benzamide;
- ccxciii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxciv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- ccxcv. Pyridazine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcvi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonyl-benzamide;
- ccxcvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-1H-tetrazol-5-yl-acetyl-amino)-propionamide;
- ccxcviii. Cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcix. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonylamino-benzamide;
- ccc. (S)-N-{2-[4-(4-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccci. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methoxy-phenyl)-acetyl-amino]-propionamide;
- cccii. 2-(S)-[2-(3-Chloro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- ccci. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-phenylacetyl-amino-propionamide;
- ccciv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-o-tolyl-acetyl-amino)-propionamide;

- cccv. 2-(S)-[2-(4-Chloro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccv. 3-Cyclohexyl-2-(S)-[2-(2-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccvi. 3-Cyclohexyl-2-(S)-diphenylacetyl-amino-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccvii. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(2-fluoro-biphenyl-4-yl)-propionamide;
- cccix. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-p-tolyl-propionamide;
- ccc. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(4-fluoro-phenyl)-propionamide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(4-hydroxy-phenyl)-propionamide;
- cccxi. 2-(4-Chloro-phenyl)-N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-propionamide;
- cccxi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;
- ccciv. Thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-amide;
- ccc. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;
- ccc. 4-Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-benzamide;
- ccc. 3-Cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-2-(S)-(2-(R)-hydroxy-2-phenyl-acetyl-amino)-propionamide;
- ccc. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-butylamide;

- cccxix. Phenyl-cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccx. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R,S)-(4-fluoro-phenyl)-propionamide;
- cccxixi. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxixii. 5-(4-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccxixiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(3-trifluoromethyl-phenyl)-acetyl-amino]-propionamide;
- cccxixiv. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxixv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-trifluoromethyl-phenyl)-acetyl-amino]-propionamide;
- cccxixvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methanesulfonyl-phenyl)-acetyl-amino]-propionamide;
- cccxixvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-phenoxy-phenyl)-ethyl]-3-methyl-benzamide;
- cccxixviii. (S)-N-{2-[4-(4-Methoxy-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxixix. (S)-N-{2-[4-(3-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxixxx. (S)-N-{2-[4-(3,5-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide.